UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/628,249	07/29/2003	Weijing Chen	P23830 5443	
	7590 05/27/200 L DEPARTMENT - G	EXAMINER		
	T DOCKETING	IBRAHIM, MOHAMED		
ROOM 2A- 20 ONE AT & T V		ART UNIT	PAPER NUMBER	
BEDMINISTE	R, NJ 07921	2444		
			MAIL DATE	DELIVERY MODE
			05/27/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	
Office Action Summary		10/628,249	CHEN ET AL.	
		Examiner	Art Unit	
		MOHAMED IBRAHIM	2444	
The MAILING DA Period for Reply	TE of this communication ap	pears on the cover shee	t with the correspondence a	ddress
A SHORTENED STATUWHICHEVER IS LONG - Extensions of time may be avarafter SIX (6) MONTHS from the If NO period for reply is specification Failure to reply within the set of	UTORY PERIOD FOR REPLER, FROM THE MAILING Dilable under the provisions of 37 CFR 1. e mailing date of this communication. ed above, the maximum statutory period rextended period for reply will, by statute later than three months after the mailing. See 37 CFR 1.704(b).	DATE OF THIS COMMU 136(a). In no event, however, ma will apply and will expire SIX (6) e, cause the application to becom	JNICATION.  ay a reply be timely filed  MONTHS from the mailing date of this are ABANDONED (35 U.S.C. § 133).	•
Status				
1)⊠ Responsive to co 2a)⊠ This action is <b>FIN</b> 3)□ Since this applica	mmunication(s) filed on <u>10 F</u> <b>AL</b> . 2b)☐ Thi tion is in condition for allowa	s action is non-final. ance except for formal n	•	ne merits is
Disposition of Claims				
4a) Of the above of 5) ☐ Claim(s) is 6) ☑ Claim(s) <u>1-26</u> is/a 7) ☐ Claim(s) is 8) ☐ Claim(s) a  Application Papers	re rejected. /are objected to. re subject to restriction and/o	awn from consideration. or election requirement.		
10) The drawing(s) file Applicant may not r Replacement draw	s objected to by the Examined on is/are: a) accepted any objection to the ng sheet(s) including the correctation is objected to by the Examines.	cepted or b) objected drawing(s) be held in abection is required if the draw	eyance. See 37 CFR 1.85(a). ving(s) is objected to. See 37 (	
Priority under 35 U.S.C. §	119			
a) All b) Some  1. Certified co  2. Certified co  3. Copies of t  application	is made of a claim for foreign e * c) None of: epies of the priority document epies of the priority document the certified copies of the priority from the International Burea etailed Office action for a lis	nts have been received. Its have been received in Drity documents have be Tau (PCT Rule 17.2(a)).	in Application No een received in this Nationa	al Stage
Attachment(s)  1) Notice of References Cited 2) Notice of Draftsperson's Pa 3) Information Disclosure State Paper No(s)/Mail Date	tent Drawing Review (PTO-948)	Paper 5) Notice	ew Summary (PTO-413) No(s)/Mail Date of Informal Patent Application 	

Art Unit: 2444

# Response to Amendment

 This action is in response to the communications and remarks filed on 10 February 2009.

2. Claims 1-26 remain unchanged. Claims 1-26 are still pending for examination.

### Response to Arguments

3. Applicant's arguments filed 02/10/2009 have been fully considered but they are not persuasive.

Applicant, in substance, argues:

- A) The combined references do not teach assigning a second IP address to the subscriber device based on a request routed through a first IP network from a subscriber device, the second IP address being associated with a second IP network.
- B) Neither DONAHUE nor ASANO disclose enabling an originating device to obtain a second subscriber IP address from a DHCP response and forward subsequent data packets addressed with both a first subscriber IP address and the second subscriber IP address.

In response to applicant's argument,

A) Contrary to applicant's assertion, the combined references do indeed disclose assigning a second IP address to the subscriber device based on a request routed through a first IP network from a subscriber device, the second IP address being associated with a second IP network. Particularly, Chin reference, which discloses a

Art Unit: 2444

system for inter-connecting networks that implement IPv4 and Ipv6 respectively. In this system, each network devices has two assigned addresses, the network device's private IP address and second IP address that is assigned to it based on the request routed through different IP network. Both addresses are therefore, mapped to that particular network device. The two address being Ipv4 and Ipv6 which belong to two different networks thus allowing a device resident in Ipv4 network to seamlessly communicate with a device belong to Ipv6 network. Thus every packet forwarded from one IP network to anther has two source address associated with it, namely, an Ipv4 address and Ipv6 address (see Chin, fig. 3 and col. 6 lines 55-67 and col. 10 lines 13-58). Thus indeed the combined reference meet the required scope of the claimed limitation as currently presented.

B) With regard applicant's second argument, Examiner submits that the combined references, particularly, Donahue teaches enabling an originating device to obtain a second subscriber IP address from a DHCP response and forward subsequent data packets addressed with both a first subscriber IP address and the second subscriber IP address. In this system of Donahue, a communicating device transmits destination IP address request to DHCP server. The DHCP server sees the source IP address looks into its table/database to locate the requested destination IP address. Upon location of the IP address of the second device, the DHCP returns response to originally requesting device wherein the response includes second IP address, that of the destination (see e.g. col. 5 lines 30-64, col. 6 lines 36-50 and line 64-col. 7 line 41). The claim language merely states that second subscriber IP address is return from the

Art Unit: 2444

request to the DHCP to the originating device. Therefore, the combined do indeed meet the required scope of the claimed limitation as currently presented.

Applicant has had an opportunity to amend the claimed subject matter, and has failed to modify the claim language to distinguish over the prior art of record by clarifying or substantially narrowing the claim language. Thus, Applicant apparently intends that a broad interpretation be given to the claims and the Examiner has adopted such in the present and previous Office action rejections. See In re Prater and Wei, 162 USPQ 541 (CCPA 1969), and MPEP 2111. Therefore, it is advised that, in order to further expedite the prosecution of the application in response to this action, Applicant should amend the base claims to describe in more narrow detail the true distinguishing features of Applicant's claim invention.

# Claim Rejections – 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Asano et al (Asano), U. S. Application Publication No. 2003/0185236 in view of Chin et al. (Chin), U. S. Patent No. 7277453.

Art Unit: 2444

Regarding claim 1, Asano discloses a method for routing data packets from a subscriber device, over a broadband access link, through a first Internet protocol (IP) version 6 (IPv6) network to a second IP network, the first and second IP networks interfacing through a second IP network edge device (see e.g. fig. 16 and paragraph [0040-0043]).

Although Asano discloses the invention substantially as claimed, it does not explicitly discloses assigning a first IP address to the subscriber device, the first IP address associated with the first IP network; assigning a second IP address to the subscriber device based on a request routed through the first IP network from the subscriber device, the second IP address being associated with the second IP network; and forwarding addressing data packets from the subscriber's device with the first IP address and the second IP address, wherein the first IP address is compliant with a first protocol implemented by the first IP network, and wherein the second IP address is compliant with a second protocol distinct from the first protocol implemented by the second IP network.

Chin teaches inter private network communications between IPV4 hosts using IPV6 wherein assigning a first IP address to the subscriber device, the first IP address associated with the first IP network; assigning a second IP address to the subscriber device based on a request routed through the first IP network from the subscriber device, the second IP address being associated with the second IP network (see Chin fig. 3 and col. 6 lines 55-67; a private host is assigned local IPV4 address and a global IPV6 address for communication facilitations between two separate networks); and

forwarding addressing data packets from the subscriber's device with the first IP address and the second IP address, wherein the first IP address is compliant with a first protocol implemented by the first IP network, and wherein the second IP address is compliant with a second protocol distinct from the first protocol implemented by the second IP network (see Chin fig. 6 item 614, col. 11 lines 10-30 and col. 35-41; first IPV4 is implement by the first network and second IPV6 is implemented by the second network). At the time of the invention it would have been obvious to a person of ordinary skills in the art to combine the teaching of Chin with that of Asano. Motivation for doing so would have been to facilitate and enable interconnectivity communications between IPV4 network and IPV6 network.

6. Claims 2-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Asano et al (Asano), U. S. Application Publication No. 2003/0185236 in view of Chin et al. (Chin), U. S. Patent No. 7277453 as applied to claim1 above, and further in view of Donahue et al. (Donahue), U. S. Patent No. 7020720.

Regarding claim 2, although Asano-Chin discloses the invention substantially as claimed, it does not explicitly disclose wherein the request comprises a dynamic host configuration protocol (DHCP) request.

Donahue teaches DHCP server that is responsible for responding to host's request by returning IP address to the host (see e.g. col. 6 line 64-col. 7 line 3). At the time of the invention it would have been obvious to a person of ordinary skills in the art to combine

the teachings of Donahue with that of Asano. Motivation for doing so would have to automate the assigning of IP address to requesting hosts.

Regarding claim 3, Asano-Chin-Donahue teaches wherein the subscriber device comprises an IP version 4 (IPv4) device, the method further comprising: encapsulating the DHCP request in an Ipv6 packet for routing the DHCP request through the first IP network (see e.g. Fig. 1 and paragraph [0059]). The same motivation utilized in the combination of claim 2, equally applies as well to claim 3.

Regarding claim 4, Asano-Chin-Donahue teaches wherein the subscriber device comprises an Ipv6 device, the method further comprising: modifying the DHCP request to include a two-hop Ipv6 routing header for routing the DHCP request through the first IP network (see e.g. paragraphs [0050]-[0051]). The same motivation utilized in the combination of claim 2, equally applies as well to claim 4.

Regarding claim 5, Asano-Chin-Donahue teaches wherein the two-hop Ipv6 routing header comprises an IP address of the edge device as a first hop address and an IP broadcast address of the DHCP request as a second hop address, the IP address of the edge device being associated with the first IP network (see e.g. paragraph [0046]). The same motivation utilized in the combination of claim 2, equally applies as well to claim 5.

Regarding claim 6, although Asano-Chin discloses the invention substantially as claimed, it does not explicitly discloses wherein providing the second IP address to the subscriber device is further based on a DHCP response routed through the first IP network from the edge device to the subscriber device.

Donahue teaches providing the second IP address to the subscriber device is further based on a DHCP response routed through the first IP network form the edge device to the subscriber device (see e.g. col. 5 lines 30-51, 57-col. 6 line 6). At the time of the invention it would have been obvious to person of ordinary skills in the art to combine the teachings of Donahue with that of Asano-Chin. Motivation for doing so would have been Motivation for doing to facilitate the communication and routing of packets from one network to another thus permitting multiple network interconnectivity.

Regarding claim 7, although Asano-Chin discloses the invention substantially as claimed, it does not explicit disclose wherein the two-hop Ipv6 routing header of the DHCP response comprises the first IP address of the subscriber device as a first hop address and the second IP address of the subscriber devices as a second hop address.

Donahue teaches wherein the two-hop Ipv6 routing header of the DHCP response comprises the first IP address of the subscriber device as a first hop address and the second IP address of the subscriber devices as a second hop address (see e.g. col. 2 line 55-col. 3 line 13). At the time of the invention it would have been obvious to a

Art Unit: 2444

person of ordinary skills in the art to combine the teachings of Donahue with that of Asano-Chin. The same motivation utilized in the combination of claim 6, equally applies as well to claim 7.

7. Claims 8-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Asano et al (Asano), U. S. Application Publication No. 2003/0185236 in view of Donahue et al. (Donahue), U. S. Patent No. 7020720.

Regarding claim 8, Asano discloses a method for addressing data packets of a

subscriber for transmission from an originating device over a broadband access link through an Internet protocol (IP) network to a destination network (see e.g. paragraph [0052]-[0059]; packet transmission from Ipv6 terminal to Ipv4 terminal).

Although Asano discloses the invention substantially as claimed, it does not explicitly disclose allocating a first subscriber IP address to the originating device, the first subscriber IP address being associated with the IP network; receiving a dynamic host configuration protocol (DHCP) request from the originating device, the DHCP request being associated with the first subscriber IP address; sending the DHCP request through the IP network to a destination device in the destination network using an IP network address of the destination device, the destination device forwarding the DHCP request to a DHCP server; receiving a DHCP response from the DHCP server, through the destination device, the DHCP response including a second subscriber IP address from the DHCP server, the second subscriber IP address being associated with the

destination network; and sending the DHCP response through the IP network to the originating device using the first subscriber IP address, enabling the originating device to obtain the second subscriber IP address from the DHCP response and address subsequent data packets using the first subscriber IP address and the second subscriber IP address.

Donahue teaches allocation of IP address to hosts in private network by utilizing
Dynamic Host Configuration Protocol server wherein a user transmits IP address
request through the gateway that in turn forwards the request to DHCP/NAT server.

The DHCP server looks into the packet to identify the source and destination hosts.

Thereafter, the first IP address is return to the originating host as well as IP address of
the second host. Thus permitting packet communication between a source device with
the desired destination device possibly located in two different networks (see e.g. col. 5
lines 30-64, col. 6 lines 36-50 and line 64-col. 7 line 41). At the time of the invention it
would have been obvious to a person of ordinary skills in the art to combine the
teaching of Donahue with that of Asano. Motivation for doing to facilitate the
communication and routing of packets from one network to another thus permitting
multiple network interconnectivity.

Regarding claim 9, Asano-Donahue teaches wherein the IP network comprises an IP-version 6 (IPv6) network, and in which the first subscriber IP address and the IP network address of the destination device comprise IPv6 addresses (see e.g. Asano paragraph [0046] and [0049]).

Regarding claim 10, the limitation of this claimed has already been addressed (see claim 3 above).

Regarding claim 11, the limitations of this claim have already been addressed (see claim 6 above).

Regarding claim 12, the limitations of this claim have already been addressed (see claim 8 above).

Regarding claim 13, the limitations of this claim have already been addressed (see claim 7 above).

Regarding claim 14, the limitations of this claim have already been addressed (see claim 5 above).

Regarding claim 15, the limitations of this claim have already been addressed (see claim 4 above).

Regarding claim 16, Asano-Donahue teaches wherein allocating the first subscriber IP address comprises matching a previously allocated network IPv6 address of the subscriber (see e.g. paragraph [0049]).

Regarding claim 17, the limitations of this claim have already been addressed (see claims 1-3, above).

Claim 18 list all the same elements of claim 8, but in system form rather than method form. Therefore, the supporting rationale of the rejection to claim 8 applies equally as well to claim 18. The same motivation utilized in the combination of claim 8, equally applies as well to claim 18.

Regarding claims 19-25, the limitations of these claims correspond to the already addressed limitation of claim 9-15 thus the supporting rationale of the rejections to claims 9-15 applies equally as well to claims 19-25.

Regarding claim 26, although Asano discloses the invention substantially as claimed, it does not explicitly disclose wherein the second IP network comprises one of an Internet service provider network and a private network.

Donahue teaches wherein the second IP network comprises one of an Internet service provider network and a private network (see e.g. Fig. 3 and col. 4 line 64-col. 5 line 29). At the time of the invention it would have been obvious to a person of ordinary skills in the art to combine the teaching of Donahue with that of Asano-Chin. Motivation for doing so would have been to allowing privately exchange of information among

Art Unit: 2444

employee of a company while giving the ability to communicate out side client by utilizing the public Internet.

### Prior Art of Record

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Please refer to form PTO-892 (Notice of Reference Cited) for list of relevant prior art.

### Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MOHAMED IBRAHIM whose telephone number is

Art Unit: 2444

(571)270-1132. The examiner can normally be reached on Monday through Friday from 7:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William C. Vaughn, Jr. can be reached on 571-272-3922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mohamed Ibrahim/ Examiner, Art Unit 2444 /William C. Vaughn, Jr./ Supervisory Patent Examiner, Art Unit 2444